7471GW - Long Wall Plate Elbow

Product Data Sheet 2026/09/26

The Greenskin Metallic Press fittings for multilayer pipe.

- A range of metal fittings from 14 to 75 mm.
- Greenskin press fittings are compatible with TH, H and U profiles.
- Immediate verification of crimping with the Visu-Control ring.
- Low pressure loss across the fittings.



Advantages

Performance

- Press connections can be done in seven seconds and this type of connection avoids the risks associated with welding.
- Greenskin press fittings are compatible with TH, H and U profiles, and therefore with different tooling brands.
- Improved hydraulics with a reduction of pressure losses of 17% on average compared to former products.


Safety


- Removable Visu-Control® ring, allowing visual and tactile control of a crimp.
- The "not crimped, not sealed" technology: if not crimped, the fitting allows water to pass during the pressure test.
- Protective cap to prevent impurities from penetrating.

Technical Specifications

Greenskin system is designed for the following applications:

- Sanitary water: +5 °C to +95 °C (operating temperature) and 10 bar (maximum operating pressure).
- Heating and cooling: -10 °C to +95 °C (operating temperature) and 10 bar (maximum operating pressure).
- Rainwater: -10 °C to +95 °C (operating temperature) and 10 bar (maximum operating pressure).






© 2026 Aalberts hfc B.V. All rights reserved. We reserve the right to change designs and technical specifications of our products.

Type	Dimensions	Order Code
Long wall plate elbow 16x2 - 1/2" - H52	16x2 - 1/2" - H52	7471GW1612
Long wall plate elbow 18x2 - 1/2" - H52	18x2 - 1/2" - H52	7471GW1812
Long wall plate elbow 20x2 - 1/2" - H52	20x2 - 1/2" - H52	7471GW2012
Long wall plate elbow 20x2 - 3/4" - H46	20x2 - 3/4" - H46	7471GW2034
Long wall plate elbow 26x3 - 3/4" - H46	26x3 - 3/4" - H46	7471GW2634

Dimensions 7471GW - Long Wall Plate Elbow

Type	Dimensions										
	d1 [mm]	d2 ["]	D1 [mm]	z1 [mm]	z2 [mm]	l1 [mm]	l2 [mm]	slw0 [mm]	a [mm]	b [mm]	H2 [mm]
Long wall plate elbow 16x2 - 1/2" - H52	16	G1/2"	23	26	19.5	50	35	20	40	20	52
Long wall plate elbow 18x2 - 1/2" - H52	18	G1/2"	25	26	19.5	50	35	20	40	20	52
Long wall plate elbow 20x2 - 1/2" - H52	20	G1/2"	27	26	19.5	50	35	20	40	20	52
Long wall plate elbow 20x2 - 3/4" - H46	20	G3/4"	27	28	10	52	25	26	40	20	46
Long wall plate elbow 26x3 - 3/4" - H46	26	G3/4"	33	28	8	53	25	26	40	20	46





© 2026 Aalberts hfc B.V. All rights reserved. We reserve the right to change designs and technical specifications of our products.

Find more information online:

Installation and operating instructions
ACS certificate
DVGW certificate (DW-8501CT0387)
DVGW certificate (CW-8501CT0388)
NF certificate
WRAS certificate
PZH certificate
PZH certificate MultiSkin2
PZH certificate MultiSkin4
MultiSkin ÉMI certificate HUN
Certificate MultiSkin RUS
MultiSkin Drinking water certificate HUN
KIWA K90957-08 MultiSkin 4 Piping System
KOMO K90961-08 certificate MultiSkin 4 Piping System
KIWA K110283-01 MultiSkin 2 Piping System
KOMO K110284-02 certificate MultiSkin 2 Piping System
KOMO certificate BioPEX system
KIWA 2305708 KUKreg4.pdf
KOMO certificate BioPert system
7471GW DWG
7471GW STEP
7473GW/7471GW RFA
Leaflet
Greenskin Multilayer press-fit system

Fort Blauwkapel 1
1358 DB, Almere - nl

T +31 20 210 34 97
E nl.info@aalberts-hfc.com
I comap.aalberts-hfc.com/nl

© 2026 Aalberts hfc B.V. All rights reserved. We reserve the right to change designs and technical specifications of our products.